



2201 Mitchell Ave - Gillette, WY 82718  
(800) 590-8339 - info@linefinders.com

BILL TO: \_\_\_\_\_

ON-SITE: \_\_\_\_\_ DRIVE TIME: \_\_\_\_\_

TOTAL: \_\_\_\_\_

## CATHODIC TEST STATION INSTALLATION

INSTALLER: \_\_\_\_\_ PHONE #: \_\_\_\_\_ DATE: \_\_\_\_\_

EXCAVATOR: \_\_\_\_\_ 1-CALL REQUEST #: \_\_\_\_\_

LEGALS: \_\_\_\_\_ COUNTY / STATE: \_\_\_\_\_

LOCATION: \_\_\_\_\_ CODE / #: \_\_\_\_\_

Coordinates MUST be exactly where post is placed.

GPS OF INSTALLED TEST STATION LOCATION: N \_\_\_\_\_ ° W \_\_\_\_\_ °

PIPE COATING: \_\_\_\_\_

COATING CONDITION: \_\_\_\_\_ (DESCRIBE IN DETAIL IN NOTES BELOW)

PRELIMINARY UT TEST READING: \_\_\_\_\_ " SECOND (CONFIRMATION) UT TEST READING: \_\_\_\_\_ "

PIPE-TO-SOIL POTENTIAL READING (AFTER TEST STATION INSTALLED): \_\_\_\_\_ mV

If you stay for the backfill, as you probably will be required to, then make sure you indicate that in the notes below! Along with any other important information...

### IMPORTANT INFORMATION / NOTES:

\_\_\_\_\_  
INSTALLER'S SIGNATURE




Picture should be of the pipe during visual / physical inspection BEFORE any removal of coating. Make sure the pipe is as clean as possible!  
(This text & the button above will be hidden when printed to .PDF)



Picture should be of the exothermic weld BEFORE patch is applied.  
(Separate forms should be completed for each weld)  
(This text & the button above will be hidden when printed to .PDF)



Picture should be of the exothermic weld AFTER the patch is applied.  
(This text & the button above will be hidden when printed to .PDF)



Picture should be of the backfilled area with cathodic test station installed.  
(This text & the button above will be hidden when printed to .PDF)